Permit #: 200//

CONFIDENTIAL UNTIL:

Date Issued: 02 - 26 - 75

Date Cancelled:

Date Plugged: 2-25-75

Misc. Form 2	12	11	8	7	6	5	4i	4	3i	3	2	OGC FORMS
								102-26-35		02-26-75		Date Received

	TYPE	# CII	Date Received
Logs			
Samples	chip		
	core		
	water		
Analyses	core		

Additional Submitted Data:

COMMENTS:

No strip - have samples

strat tost

#### MISSOURI OIL AND GAS COUNCIL

## APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK

AME OF COMPANY OR OP	ub Blog	Den	ver Co	10 80	202	
Address		Cit	ty		S	State
	DESCR	IPTION OF	WELL AND	LEASE		
drat 7est =5 (3				number		on (ground)
VELL LOCATION 48 ft	(give	e footage from	section lines)  ft. from (	E) sec. line		
VELL LOCATION Section	70 Township	61 N	Range 32	Cou	Gentry	
earest distance from proposed lo property or lease line:	ocationfeet			l location to neare for well on the sa		feet
oposed depth:	Rot	tary <del>Grabbo</del> 1	tools		k. date work will st	art
umber of acres in lease:				wells on lease, inc n or drilling to thi	uding this well, s reservoir:	
			Number	of abandoned we	Is on lease:	
alls drilled, from whom purchase atus of Bond	Address		Bond Ami		aban	ivedoned
atus of Bond  Single Well  American	Address  Address  to deepen or plug bac	Blanket	Bond Amt	30,00	inact aband	ivedoned
ells drilled, from whom purchase latus of Bond  Single Well	Address  to deepen or plug bacected new producing a	Blanket	Bond Amt	done, giving prese	inact aband	doned
atus of Bond  Single Well  American Ame	Address  to deepen or plug bacected new producing a	Blanket	Bond Amt	done, giving prese	inact aband	doned
atus of Bond  Single Well	to deepen or plug bacected new producing 2	Blanket ck, briefly desc zone) use back cem.	Approved cas amt.	done, giving preserved.	inact aband	ist cem.
atus of Bond  Single Well	wt./ft.	Blanket ck, briefly description use back cem.  cem.	Approved cas amt.	done, giving preserved.	inact aband	ist cem.
atus of Bond  Single Well	wt./ft.  the to make this ue, correct and complete	Blanket ck, briefly description use back cem.  cem.	Approved cas amt.  of the at this report wo of my knowled	done, giving preseded.  ing — To be filled size  Anscholas prepared under ge.	inact aband	ist cem.
atus of Bond  Single Well	wt./ft.  the tompany to make this ue, correct and comple	Blanket ck, briefly description use back cem.  cem.	Approved cas amt.  of the at this report wo of my knowled	done, giving preseled.  ing – To be filled size  Anschillas prepared under ge.	inact aband	ist cem.
roposed casing program: amt. size  the undersigned, state that I am authorized by said of that I am authorized by said of that I am authorized by said of the facts stated therein are true.	wt./ft.  the tompany to make this ue, correct and comple	Blanket  ck, briefly desc  zone) use back  cem.  cem.	Approved cas amt.  of the at this report wo of my knowled	done, giving preseled.  ing – To be filled size  Anschillas prepared under ge.	inact aband	ist cem.

WELL LOCATION PLAT

e Name: 5	trat	Test #5		ohn l	E; ber	ger	_ County,	Gentry	_
feet from	n (N) - 📰) I	ine and 135	_ feet from	(E) ine	Ha,	of Sec2(		61N Rang	
								0	
						LHL.			
-									
				J. Ei	h				
CALE = 1000'				J. 2.	Berg				
1000	*						1		
L									
ARKS:									
	7							4	
	15	STRUCTIONS							
On the abo	ove plat, she	ow distance of	the propose	d well from th	e	EB 2 6 1	07E		
lease compl	and section eted in or d	n lines, and fr rilling to the sa ince with the a	om the near me reservoir	est well on the . If the location	e F	L & GAS			(\$
all_off-setting	ng wells to	the proposed v	vell. Do not	confuse surve	y	L U GAS	COUNT IL		

RECEIVED

DEC 2 0 1976

MO. OIL & GAS COUNCIL

1110 DENVER CLUB BUILDING 518 SEVENTEENTH STREET DENVER, COLORADO 80202 TELEPHONE 303—573-5665

February 26, 1975

#### Missouri Strat-Test Program

Strat Test #5 (J. Eiberger)

48'S & 135'W of NEc of Sec 20 61N-32W

el 1085' TD 560' B/Drift 155 BKc 522 (+563)

Plugs:

3 sx at 160'

2 sx at 20'

HO:pm

cc: Vasterling

Darrow Geo. Mohr

### HYDROCARBON SURVEY

Jack H. Heathman - James F. Ralstin Geologists

627 UNION CENTER BUILDING . WICHITA, KANSAS 67202 . TELEPHONE (316) AM 7-3234

# STRAT TEST #5

WELL!

# 5 JOHN EIBERGER

LOCATION :

48'S + 135'W OF NE CORNER

SEC 20 - TGIN. - R32 W.

GENTRY COUNTY. MISSOURI

ELEVATION:

1085 GROUND LEVEL

TOPS.

BASE OF HERTHA + 563

DRILL TOTAL DEPTH

BASE OF DRIFT

522

+ 930

LOG TOTAL DEPTH

555

560

155

COMMENCED DRILLING FEB 21 1975

COMPLETED DRILLING FEB 25 1975

PLUGGING DATA: FEB 25 1975

3 Sx @ 160

25x@ 20

James of Dilas